UNITED STATES DEPARTMENT OF COMMERCE United States Patent and Trademark Office Address: COMMISSIONER FOR PATENTS P.O. Box 1450 Alexandria, Virginia 22313-1450 www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
10/824,383	04/15/2004	Hiromi Matsusaka	P25217	6631
	7590 12/03/2007 & BERNSTEIN, P.L.C.		EXAMINER	
1950 ROLAND CLARKE PLACE			LU, ZHIYU	
RESTON, VA	20191		ART UNIT	PAPER NUMBER
			2618	
•				
			NOTIFICATION DATE	DELIVERY MODE
			12/03/2007	ELECTRONIC

Please find below and/or attached an Office communication concerning this application or proceeding.

The time period for reply, if any, is set in the attached communication.

Notice of the Office communication was sent electronically on above-indicated "Notification Date" to the following e-mail address(es):

gbpatent@gbpatent.com pto@gbpatent.com

	Application No.	Applicant(s)				
	10/824,383	MATSUSAKA, HI	MATSUSAKA, HIROMI			
Office Action Summary	Examiner	Art Unit				
	Zhiyu Lu	2618				
The MAILING DATE of this communication app Period for Reply	ears on the cover sheet w	rith the correspondence ac	ddress			
A SHORTENED STATUTORY PERIOD FOR REPLY WHICHEVER IS LONGER, FROM THE MAILING DA  - Extensions of time may be available under the provisions of 37 CFR 1.13 after SIX (6) MONTHS from the mailing date of this communication.  - If NO period for reply is specified above, the maximum statutory period was pailure to reply within the set or extended period for reply will, by statute, Any reply received by the Office later than three months after the mailing earned patent term adjustment. See 37 CFR 1.704(b).	ATE OF THIS COMMUNI 36(a). In no event, however, may a vill apply and will expire SIX (6) MO cause the application to become A	CATION. reply be timely filed  NTHS from the mailing date of this of BANDONED (35 U.S.C. § 133).				
Status						
1)⊠ Responsive to communication(s) filed on 01 Oc	ctober 2007.					
	action is non-final.					
3) Since this application is in condition for allowar	nce except for formal mat	ters, prosecution as to the	e merits is			
closed in accordance with the practice under E	x parte Quayle, 1935 C.I	D. 11, 453 O.G. 213.				
Disposition of Claims						
4)⊠ Claim(s) <u>2-5 and 7-11</u> is/are pending in the app	olication.					
4a) Of the above claim(s) is/are withdray	vn from consideration.					
5) Claim(s) is/are allowed.						
6)⊠ Claim(s) <u>2-5 and 7-11</u> is/are rejected.						
	7) Claim(s) is/are objected to.					
8) Claim(s) are subject to restriction and/or	r election requirement.					
Application Papers						
9) The specification is objected to by the Examine	r.					
10) The drawing(s) filed on is/are: a) □ accepted or b) □ objected to by the Examiner.						
Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).						
Replacement drawing sheet(s) including the correction is required if the drawing(s) is objected to. See 37 CFR 1.121(d).						
11) ☐ The oath or declaration is objected to by the Ex	aminer. Note the attache	d Office Action or form P	TO-152.			
Priority under 35 U.S.C. § 119						
12)⊠ Acknowledgment is made of a claim for foreign a)⊠ All b)□ Some * c)□ None of:		§ 119(a)-(d) or (f).				
1. Certified copies of the priority documents		Annlingtion No				
_ , , ,	2. Certified copies of the priority documents have been received in Application No					
3. Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)).						
* See the attached detailed Office action for a list of the certified copies not received.						
· · · · · · · · · · · · · · · · · · ·						
Attachment(s)  1)  Notice of References Cited (PTO-892)	4) T Interview	Summary (PTO-413)				
2) DNotice of Draftsperson's Patent Drawing Review (PTO-948)	(s)/Mail Date					
Information Disclosure Statement(s) (PTO/SB/08)     Paper No(s)/Mail Date	5)	Informal Patent Application				

Art Unit: 2618

#### **DETAILED ACTION**

### Response to Arguments

1. Applicant's arguments with respect to claims 1 have been considered but are moot in view of the new ground(s) of rejection.

## Claim Rejections - 35 USC § 112

The following is a quotation of the first paragraph of 35 U.S.C. 112:

The specification shall contain a written description of the invention, and of the manner and process of making and using it, in such full, clear, concise, and exact terms as to enable any person skilled in the art to which it pertains, or with which it is most nearly connected, to make and use the same and shall set forth the best mode contemplated by the inventor of carrying out his invention.

2. Claim 11 is rejected under 35 U.S.C. 112, first paragraph, as failing to comply with the written description requirement. The claim(s) contains subject matter which was not described in the specification in such a way as to reasonably convey to one skilled in the relevant art that the inventor(s), at the time the application was filed, had possession of the claimed invention. Claim 11 is a different embodiment (filed Fig. 4) from claim 3 (filed Fig. 3). There is no disclosure in filed specification to support claim 11 depends from claim 1, where the two embodiments are used together.

# Claim Rejections - 35 USC § 103

The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:

Art Unit: 2618

(a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negatived by the manner in which the invention was made.

3. Claims 2-3, 5 and 7-10 are rejected under 35 U.S.C. 103(a) as being unpatentable over Lindoff (US Patent#6373888) in view of Lindoff et al. (US Patent#6463107) and Jayaraman et al. (US2003/0087622).

Regarding claim 2, Lindoff teaches a radio reception apparatus comprising:

a receiver (401 of Fig. 4) configured to receive a signal on a per time unit basis (inherent in TDMA systems, where processing is on a per time unit basis), the received signal including a known signal pattern on a predetermined per time unit basis (402 of Fig. 4);

an adjuster (405 & 407 of Fig. 4) configured to adjust a filter for filtering the received signal using the known signal pattern on a per time unit basis (406 of Fig. 4); and

a canceller (406 of Fig. 4) configured to cancel an interference component included in the time unit using the adjusted filter (3 of Fig. 2);

wherein the adjuster comprises:

a tap coefficient controller configured to set the filter according to the estimated channel structure (column 5 lines 50-51).

But, Lindoff does not expressly disclose the interference component comprising adjacent channel interference and inter-symbol interference; a modulation scheme determiner configured to process likehoods calculated for individual modulation schemes and to determine the modulation using the known signal pattern; and control tap coefficients to set the filter according to the determined modulation scheme.

Art Unit: 2618

ill Control (valide): 10/024,5

Lindoff et al. teach a modulation scheme determiner configured to process likehoods calculated for individual modulation schemes and to determine the modulation using the known signal pattern (column 3 lines 3-62); and control tap coefficients to set the filter according to the determined modulation scheme (column 4 lines 41-49).

Note that Lindoff's system is a digital TDMA system first of all, signal processing including filtering is inherently per time unit basis. If the receiver processes signal in continuous time, it's per time unit basis because it is TDMA. If the receiver processes signal in discrete time like digital signal, it's per time unit. Either way, filtering is per time unit basis. Both Lindoff and Lindoff et al. teach having digitizing communication and sampling received signal, which means it processes including filtering per time unit basis. Moreover, Jayaraman et al. teach having ADC (analog-to-digital filter) and using adaptive filter, which are known for processing sampled discrete-time signal.

Jayaraman et al. teach having an adaptive filter and adaptive equalizer to reduce an interference component comprising adjacent channel interference (ACI) and inter-symbol interference (ISI) (paragraphs 0049, 0071).

Therefore, it would have been obvious to one of ordinary skill in the art at the time the invention was made to incorporate modulation determiner and taking determined modulation type into tap calculation taught by Lindoff et al. and adaptive filter and equalizer taught by Jayaraman et al. into the radio reception apparatus of Lindoff, in order to provide efficient information for calculating equalization setting for better interference cancellation or reduction with adaptive filtering components.

Art Unit: 2618

Regarding claim 3, Lindoff and Lindoff et al. teach a radio reception apparatus as explained in response to claim 2 above.

But, Lindoff and Lindoff et al. do not expressly disclose the interference component comprising adjacent channel interference and inter-symbol interference; a frequency converter configured to perform a frequency analysis of the received signal; and the tap coefficients are set according to a detection result of adjacent channel interference.

Jayaraman et al. teach a frequency converter configured to perform frequency analysis of the received signal before processing (paragraph 0028); and having an adaptive filter and adaptive equalizer to reduce an interference component comprising adjacent channel interference (ACI) and inter-symbol interference (ISI) (paragraphs 0049, 0071).

In view of Lindoff et al.'s teaching on setting tap coefficients of filter according to detected modulation scheme (column 4 lines 41-49) and noise power/interference level (column 7 lines 6-26) and Jayaraman et al. teach setting filter tap coefficients using detected adjacent channel interference result (Figs. 2-5, paragraphs 0011-0013), it would have been obvious to one of ordinary skill in the art to recognize and modify filter tap coefficients into based on both modulation type and adjacent channel interference level for further optimizing signal filtering process with more information on received signal.

Therefore, it would have been obvious to one of ordinary skill in the art at the time the invention was made to incorporate using detected adjacent channel interference result to set filter parameters taught by Jayaraman et al. into the radio reception apparatus of Lindoff and Lindoff et al., in order to provide more information on received signal to refine signal filtering process.

Art Unit: 2618

Regarding claim 5, Lindoff, Lindoff et al., and Jayaraman et al. teach the limitation of claim 2. In view of Lindoff et al.'s teaching on setting tap coefficients of filter according to detected modulation scheme (column 4 lines 41-49) and noise power/interference level (column 7 lines 6-26) and Jarayman et al. teach a plurality of filters having different filter characteristics (242 or 420 of Fig. 4), it would have been obvious to one of ordinary skill in the art at the time the invention was made to modify the filter of Lindoff into a plurality of filter configured to be selected according to the determined modulation scheme.

Regarding claim 7, Lindoff, Lindoff et al., and Jayaraman et al. teach the limitation of claim 2. It would have been obvious to one of ordinary skill in the art to recognize Lindoff teaches wherein the adjuster adjusts a filter characteristic of the filter such that a combined characteristic of said filter with a baseband filter at a communicating partner station has a Nyquist characteristic because Nyquist characteristic is fundamental for signal reconstruction, which is essentially needed in sampling and signal processing.

Regarding claim 8, Lindoff, Lindoff et al., and Jayaraman et al. teach the limitation of claim 2. Lindoff teaches a communication terminal apparatus including the radio reception apparatus (column 4 lines 11-14).

Regarding claim 9, Lindoff, Lindoff et al., and Jayaraman et al. teach the limitation of claim 2.

Art Unit: 2618

It would have been obvious to one of ordinary skill in the art to incorporate the radio reception apparatus in a base station apparatus (column 3 lines 61-64) for interference cancellation on received signals.

Regarding claim 10, Lindoff, Lindoff et al., and Jayaraman et al. teach a reception filtering method as explained in response to claim 2 above.

4. Claims 4 and 11 are rejected under 35 U.S.C. 103(a) as being unpatentable over Lindoff (US Patent#6373888) in view of Lindoff et al. (US Patent#6463107), Jayaraman et al. (US2003/0087622), and Baugh et al. (US Patent#5150379).

Regarding claim 4, Lindoff and Lindoff et al. teach a radio reception apparatus as explained in response to claim 2 above, where Lindoff teaches a transmission path characteristic estimator configured to estimate a transmission path characteristic (channel structure) using the known signal pattern included in the received signal from which interference is canceled (405 of Fig. 4). But, Lindoff and Lindoff et al. do not expressly disclose the interference component comprising adjacent channel interference and inter-symbol interference; an error measurer configured to measure an error of the received signal that occurs due to a transmission path characteristic by comparing the known signal pattern included in the received signal with a known signal pattern obtained by the transmission path characteristic; and a tap coefficient controller configured to control tap coefficients to set the filter based on the measured error and a reception level of the received signal.

Art Unit: 2618

ill Control Pullioci. 10/024,5

Jayaraman et al. teach having an adjuster comprising of adaptive filter and adaptive equalizer to reduce or cancel an interference component comprising adjacent channel interference (ACI) and inter-symbol interference (ISI) (paragraphs 0049, 0071).

Baugh et al. teach adjusting tap coefficients for adaptive filter/equalizer based on measured and error (e) and measured signal level (S) (Fig. 3, column 4 line 63 to column 5 line 4).

Therefore, it would have been obvious to one of ordinary skill in the art at the time the invention was made to incorporate using adaptive adjuster to cancel adjacent channel interference and inter-symbol interference taught by Jayaraman et al. and adjusting tap coefficients based on measured error and reception level taught by Baugh et al. into the radio reception apparatus of Lindoff and Lindoff et al., in order to provide information on received signal to refine signal filtering process.

Regarding claim 11, Lindoff, Lindoff et al., and Jayaraman et al. teach the limitation of claim 3. But, Lindoff, Lindoff et al., and Jayaraman et al. do not expressly disclose wherein the tap coefficient controller is further configured to control tap coefficients to set the filter based on the measured error and a reception level of the received signal.

Baugh et al. teach adjusting tap coefficients for adaptive filter/equalizer based on measured and error (e) and measured signal level (S) (Fig. 3, column 4 line 63 to column 5 line 4).

Therefore, it would have been obvious to one of ordinary skill in the art at the time the invention was made to incorporate adjusting tap coefficients based on measured error and reception level taught by Baugh et al. into the radio reception apparatus of Lindoff, Lindoff et al., and

Art Unit: 2618

Jayaraman et al., in order to further refine signal filtering process with more information on received signal.

#### Conclusion

5. Applicant's amendment necessitated the new ground(s) of rejection presented in this Office action. Accordingly, **THIS ACTION IS MADE FINAL**. See MPEP § 706.07(a). Applicant is reminded of the extension of time policy as set forth in 37 CFR 1.136(a).

A shortened statutory period for reply to this final action is set to expire THREE MONTHS from the mailing date of this action. In the event a first reply is filed within TWO MONTHS of the mailing date of this final action and the advisory action is not mailed until after the end of the THREE-MONTH shortened statutory period, then the shortened statutory period will expire on the date the advisory action is mailed, and any extension fee pursuant to 37 CFR 1.136(a) will be calculated from the mailing date of the advisory action. In no event, however, will the statutory period for reply expire later than SIX MONTHS from the date of this final action.

6. Any inquiry concerning this communication or earlier communications from the examiner should be directed to Zhiyu Lu whose telephone number is (571) 272-2837. The examiner can normally be reached on Weekdays: 9AM-5PM.

Application/Control Number: 10/824,383 Page 10

Art Unit: 2618

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Nay Maung can be reached on (571) 272-7882. The fax phone number for the

organization where this application or proceeding is assigned is 571-273-8300.

Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR

Information regarding the status of an application may be obtained from the Patent

system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR

system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would

like assistance from a USPTO Customer Service Representative or access to the automated

information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

Zhiyu Lu

November 14, 2007

NAY MAUNG
SUPERVISORY PATENT EXAMINED